



State of Alaska
Department of Fish and Game
Habitat and Restoration Division

Nomination for Waters
Important to Anadromous Fish

Region SOUTHCENTRAL

USGS Quad Cordova C-5 SW

Anadromous Water Catalog Number of Waterway 221-10-10050-2005

Name of Waterway Whiskey Creek ☐ USGS Name ☒ Local Name

☒ Addition ☐ Deletion ☐ Correction ☐ Backup Information

For Office Use

Nomination #	<u>01 053</u>	Regional Supervisor	<u>12/10/01</u>
Revision Year:	<u>2001</u>	Date	<u>7/11/01</u>
Revision to: Atlas	<u>Catalog</u>	AWC Project Biologist	<u>12/5/01</u>
Both	<u>X</u>	Drafted	<u>12/5/01</u>
Revision Code:	<u>A-1, C-5</u>		

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Present	Anadromous
Coho	7/18/00; 11/27/00; 11/28/00	5*	caught 3; obs. 200		<input checked="" type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

IMPORTANT: Provide all supporting documentation that this water body is important to the spawning, rearing, or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration; location of mouth and observed upper extent of each species, as well as other habitat; locations, types, and heights of any barriers; etc. Attach a copy of a map showing observed as spawning or rearing

Comments: Sampled along Whitshed Rd. with dipnet in July, captured 3 juvenile coho, observed approximately 40 juveniles. Walked the length of Whiskey Creek from Whitshed Road to the junction with Eccles Creek on 11/28, *5 coho carcasses were observed in the creek along with about 200 juveniles. The creek currently crosses Whitshed Rd. via 24" CMP and runs NE along the road in the ditch. Adult coho carcasses also observed in the ditch. Juvenile coho observed and captured on both sides of Whitshed Rd. Runoff from Whitshed Rd., Whiskey Creek Rd., a gravel parking lot, and a refuse transfer facility presently enter the creek directly or via culverts and ditches.

Name of Observer (please print):

Signature:

Address:

David Ryland

David B Ryland
333 Raspberry Road
Anchorage, AK 99518

Date: 12/5/00


This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: _____

Revision 3 of 7

REGION II
HABITAT AND RESTORATION
DIVISION

DETAIL OF WHISKEY CREEK ADDITION



Orca Inlet

ORCA INLET Drive

(PLAT 97-5)

1

2

WHISKEY RIDGE SUB.

WHISKEY RIDGE

EAST HENRICHS

Mormon Church

U.S.S. 833

A.S.L.S. 88-51

(PLAT 84-10)

3

A.S.L.S. 73-35

A.S.L.S. 83-145

Bailer

City of Cordova


WHISKEY RIDGE
SUBDIVISION

DRAWN BY: DBP

FILE NAME: TR-WR.DWG

DATE: 12-5-00

PLOT AT: 200



Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs
taken 1950, field annotated 1951. Map not field checked

Selected hydrographic data compiled from USC&GS
Charts 8520, 8525, and 8551 (1:200,000 scale)



This information is not intended for navigational purposes

Universal Transverse Mercator projection, 1927 North American datum
10,000-foot grid based on Alaska coordinate system, zone 3
1000-meter Universal Transverse Mercator grid ticks,
zone 6, shown in blue

Land lines represent unsurveyed and unmarked locations
predetermined by the Bureau of Land Management
Folio CR-5, Copper River Meridian

Entire land area is within the Chugach National Forest except
Cordova exclusion area and Cordova Airport withdrawal area
Swamps, as portrayed, indicate only the wetter areas,
usually of low relief, as interpreted from aerial photographs

There may be private inholdings within the boundaries of
the National or State reservations shown on this map
Lake elevations are unchecked



CONTOUR INTERVAL 100 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES IN FEET—DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 10 FEET

FOR SALE BY U. S. GEOLOGICAL SURVEY
FAIRBANKS, ALASKA 99701, DENVER, COLORADO 80225, OR RESTON, VIRG
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON

um Salmon
ho Salmon
ng Salmon
k Salmon
ckeye Salmon
ctic Char

CT Cutthroat Trout
DV Dolly Varden
SF Sheefish
SH Steelhead
SM Smelt
W Whitefish

own Spawning

r Rearing

Migration upstream is assumed for stream
reaches where anadromous fish occur.

anadromous habitat <660 ft. in length

carrier

COMP. DRC
DRAWN CB
REVISED DRC
APPROVED ERL
DATE 4/82

FILE NO.



SCALE
1" = 1 MILE
1 : 63,360

PROJ. TITLE


ANADROMOUS WATERS


ANADROMOUS WATERS ARE LISTED PURSUANT

MAP TITLE

CORDOVA (C-5)

Change STREAM
CHANGE
ADD COR AS NOTED
ZZ1-10-10050-2005 w/ COR





1990 version